








The product using material and processing must conform to the "WI-PZ-142"HSF technical standard control requirements

RoHS




NOTE:

- 1.MATERIAL SPECIFICATION:
1-1.HOUSING:Nylon66 UL94V-0
- 2.ELECTRICAL PERFORMANCE:
2-1.INSULATION RESISTANCE: 1000mΩ MIN
2-2.WITHSTANDING VOLTAGE: 1000V AC/minute
- 3.ENVIRONMENTAL PERFORMANCE:
OPERATING TEMPERATURE: -25°C~+85°C.
- 4.PACKAGE SPEC: PE BAG
- 5.P/N:













SERIES NO: C3030 H M-2 XX X 0
 CONNECTOR: H HOUSING
 MALE FEMALE: M-MALE
 ROW NO: 2-DOUBLE ROW
 HOUSING:
 0-UL94V-0
 1-UL94V-2
 COLOR:
 A-BLACK
 S-NATURE
 PIN Q'PY:
 02-24

Circuit	Dimensions (mm)		Circuit	Dimensions (mm)	
	A	B		A	B
2*01	---	5.50	2*07	18.00	22.00
2*02	3.00	8.50	2*08	21.00	25.00
2*03	6.00	10.00	2*09	24.00	28.00
2*04	9.00	13.00	2*10	27.00	31.00
2*05	12.00	16.00	2*11	30.00	34.00
2*06	15.00	19.00	2*12	33.00	37.00

REV.	REVISION RECORD	DATE	GENERAL TOLERANCES		SCALE:	NAME	DATE	PART.NO:	DWG.NO:	 WanLian Technology Co., Ltd
A0	NEW RELEASE	21.01.13	LINEAR	ANGLES	1:1	Wang_jr	21.01.13	C3030HM-2XXXX	ENDE05	
			0.0±0.35	X*REF±6°	APPROVED	Ding_bo	21.01.13	TITLE:	REV: A0	
			UNIT: mm	0.00±0.25	X*±3°	DESIGNER	Ou_jian	3.0mm Crimp Style connectors	SHEET: 1/3	
			SIZE: A4	0.000±0.10	X*X'±2°	DRAWN				

The product using material and processing must conform to the "WI-PZ-142"HSF technical standard control requirements









RoHS



REV.	REVISION RECORD	DATE		GENERAL TOLERANCES		SCALE: 1:1	NAME	DATE	PART.NO:	DWG.NO:	 WanLian Technology Co., Ltd	
A0	NEW RELEASE	21.01.13		LINEAR	ANGLES	APPROVED	Wang_jr	21.01.13	C3030HM-2XXXX	ENDE05		
			UNIT: mm	0.00±0.25	X'±3°	DESIGNER	Ding_bo	21.01.13	TITLE: 3.0mm Crimp Style connectors		REV: A0	SHEET: 2/3
			SIZE: A4	0.000±0.10	X'X' ±2°	DRAWN	Ou_jian	21.01.13				

The product using material and processing must conform to the "WI-PZ-142"HSF technical standard control requirements

RoHS



纸箱规格: 465*315*426MM

Circuit	Bag Pcs	CARTON Bag	CARTON Pcs
2*1	1K	40	40K
2*2	1K	30	30K
2*3	1K	25	25K
2*4	1K	20	20K
2*5	1K	15	15K
2*6	1K	15	15K
2*7	1K	10	10K
2*8	1K	10	10K
2*9	1K	10	10K
2*10	1K	8	8K
2*11	1K	6	6K
2*12	1K	6	6K

- 注意事项:
1. 产品不可少数、多数;
 2. 内外包装均需有数量标签;
 3. 不同PIN位包装时须分开放置不可装入同一外箱中。
 4. 同一订单尾数包装需用不影响品质之物品填充并注明尾数。

REV.	REVISION RECORD	DATE		GENERAL TOLERANCES		SCALE: 1:1	NAME	DATE	PART.NO: C3030HM-2XXXX	DWG.NO: ENDE05	 WanLian Technology Co., Ltd	
A0	NEW RELEASE	21.01.13		LINEAR	ANGLES	APPROVED	Wang_jr	21.01.13				
			UNIT: mm	0.00±0.25	X'±3'	DESIGNER	Ding_bo	21.01.13	TITLE: 3.0mm Crimp Style connectors		REV: A0	SHEET: 3/3
			SIZE: A4	0.000±0.10	X'X' ±2'	DRAWN	Ou_jian	21.01.13				